

How to Add SAML EndPoint



1. Open start \rightarrow Search for PowerShell ISE \rightarrow run it as administrator



2. Go to file → open → navigate to ADFSToolkit Folder (C:\ADFSToolkit\1.0.0.0) → open "sync-ADFSTkAggregates"

<u></u>	Authinistrator, windows Powershell ISC	
nie Edit View Tools Debug Add-ons Help		
		Script 🕑
PS C:\Users\Administrator>		<u>^</u>
2 Open	x	
	C Search 1.0.0.0	
Organize 👻 New folder		
🔶 Favorites	Date modified Type	
🔲 Desktop 🤰 cache	4/7/2020 7:00 PM File folder	
🖟 Downloads 🛛 🔒 config	3/31/2020 8:47 AM File folder	
Recent places sync-ADFSTkAggregates	4/7/2020 7:05 PM Windows	
this PC		
📜 Desktop 🗏		
Documents		
Downloads		
Music		
Videos		
Local Disk (C:)		
Network III	Described Field Academic Land	
File name:	V Powersnell Files(".psi, ".psmi, V	
	Open Cancel	
e l		5

3. Copy the code of the "SAML END PION.txt" and paste it after the line number 13

Import-ADFSTkMetadata -ProcessWholeMetadata -ForceUpdate -ConfigFile
'c:\ADFSToolkit\1.0.0.0\config\config.omrenfed.xml'



- **4.** Add your domain here instead of OMREN domain. It should be https://YOUR ADFS DOMAIN/adfs/ls/?wa=wsignout1.0 as it shown in the screenshot (in blue box).
- 5. Make sure the <u>SP prefix</u> in the TargetName value the same as the <u>local xml file name</u>. As it shown in the screenshot (in red box)



6. Save the file



7. Update the entities by clicking on Run Script



8. To make sure the endPoints have been added correctly. Refresh the Relying Party Trusts and Double Click on mirsal.omren.om or sp.omren.om. Click on EndPoints. You must see the 3 endpoints there.

